

NEET 2022 QUESTION PAPER (CODE-T2)

Test Booklet code



This Booklet contains 32 pages, including Rough Page.

Do not open this Test Booklet until you are asked to do so.





Important Instructions:

- The test is of 3 hours 20 minutes duration and the Test Booklet contains 200 multiple-choice questions (four options with a single correct answer) from Physics, Chemistry and Biology (Botany and Zoology). 50 questions in each subject are divided into two Sections (A and B) as per details given below:
 - (a) Section A shall consist of 35 (Thirty-five) Questions in each subject (Question Nos 1 to 35, 51 to 85, 101 to 135 and 151 to 185). All questions are compulsory.
 - (b) Section B shall consist of 15 (Fifteen) questions in each subject (Question Nos 36 to 50,86 to 100, 136 to 150 and 186 to 200). In Section B, a candidate needs to attempt any 10 (Ten) questions out of 15 (Fifteen) in
 - Candidates are advised to read all 15 questions in each subject of Section B before they start attempting the question paper. In the event of a candidate attempting more than ten questions, the first ten questions answered by the candidate shall be evaluated.
- 2. Each question carries 4 marks. For each correct response, the candidate will get 4 marks. For each incorrect response, one mark will be deducted from the total scores. The maximum marks are 720.
- 3. Use Blue/Black Ball Point Pen only for writing particulars on this page/marking responses on Answer
- The CODE for this Booklet is T2. Make sure that the CODE printed on the Original Copy of the Answer Sheet is the same as that on this Test Booklet. In case of discrepancy, the candidate should immediately report the matter to the Invigilator for replacement of both the Test Booklet and the Answer Sheet.
- 5. The candidates should ensure that the Answer Sheet is not folded. Do not make any stray marks on the Answer Sheet. Do not write your Roll No. anywhere else except in the specified space in the Test Booklet/Answer Sheet.
- **6.** Use of white fluid for correction is **NOT** permissible on the Answer Sheet.
- Each candidate must show on-demand his/her Admit Card to the Invigilator.
- 8. No candidate, without special permission of the centre Superintendent or Invigilator, would leave his/her
- The candidates should not leave the Examination Hall without handing over their Answer Sheet to the Invigilator on duty and sign (with time) the Attendance Sheet twice. Cases, where a candidate has not signed the Attendance Sheet second time, will be deemed not to have handed over the Answer Sheet and dealt with as an Unfair Means case.
- **10.** Use of Electronic/Manual Calculator is prohibited.
- 11. The candidates are governed by all Rules and Regulations of the examination with regard to their conduct in the Examination Room/Hall. All cases of unfair means will be dealt with as per the Rules and Regulations of this examination.
- 12. No part of the Test Booklet and Answer Sheet shall be detached under any circumstances.
- 13. The candidates will write the Correct Test Booklet Code as given in the Test Booklet/Answer Sheet in the Attendance Sheet.
 - Compensatory time of one hour five minutes will be provided for the examination of three hours and 20 minutes duration, whether such candidate (having a physical limitation to write) uses the facility of Scribe or not.


Contact@acadxl.com

+91-7737432098

Section -A

- 1. Two hollow conducting spheres of radii R_1 and R_2 ($R_1 >> R_2$) have equal charges. The potential would be:
 - (A) more on smaller sphere
 - (B) equal on both the spheres
 - (C) dependent on the material property of the sphere
 - (F) more on bigger sphere
- 2. The angular speed on a fly wheel moving with uniform angular acceleration changes from 1200 rpm to 3120 rpm in 16 seconds. The angular acceleration in rad/ s^2 is :
 - (A) 4π
- (B) 12π
- (C) 104π
- (D) 2π


3.



In the given circuits (a), (b) and (c), the potential drop across the two p-n junctions are equal in:

(A) Circuit (b) only

- (B) Circuit (c) only
- (C) Both circuits (a) and (c)
- (D) Circuit (a) only
- 4. Two objects of mass 10 kg and 20 kg respectively are connected to the two ends of a rigid rod of length 10 m with negligible mass. The distance of the center of mass of the system from the 10 kg mass is:
 - (A) $\frac{20}{3}$ m
- (B) 10 m
- (C) 5 m
- (D) $\frac{10}{3}$ m
- 5. A biconvex lens has radii of curvature, 20 cm each. if the refractive index of the material of the lens is 1.5, the power of the lens is :-
 - (A) +20 D
- (B) +5D
- (C) infinity
- (D) + 2D
- 6. A spherical ball is dropped in a long column of a highly viscous liquid. The curve in the graph shown, which represents the speed of the ball (v) as a function of time (t) is:




- (A) B
- (B) C
- (C) D
- (D) A


7.	The ratio of the radius of gyration of a thin uniform disc about an axis passing through its centre
	and normal to its plane to the radius of gyration of the dis about its diameter is :


- (A) $\sqrt{2}:1$
- (B) 4:1
- (C) $1:\sqrt{2}$
- (D) 2:1
- 8. A shell of mass m is at rest initially. It explodes into three fragments having mass in the ratio 2:2 : 1. If the fragments having equal mass fly off along mutually perpendicular directions with speed v, the speed of the third (lighter) fragment is
 - (A) $\sqrt{2}v$
- (B) $2\sqrt{2}v$
- (C) $3\sqrt{2}v$


- (D) v
- 9. A long solenoid of radius 1 mm has 100 turns per mm. If 1A current flows in the solenoid, the magnetic field strength at the centre of the solenoid is
 - (A) 12.56×10^{-2} T
- (B) $12.56 \times 10^{-4} \text{ T}$
- (C) $6.28 \times 10^{-4} \text{ T}$
- (D) $6.28 \times 10^{-2} \text{ T}$
- 10. Let T₁ and T₂ be the energy of an electron in the first and second excited states of hydrogen atom, respectively. According to the Bohr's model of an atom, the ratio T_1 : T_2 is:
 - (A) 4:1
- (B) 4:9
- (C) 9:4
- (D) 1:4
- A light ray falls on a glass surface of refractive index $\sqrt{3}$, at an angle 60°. The angle between the 11. refracted and reflected rays would be:
 - (A) 60°
- (B) 90°
- (C) 120°
- (D) 30°
- **12.** If a soap bubble expands, the pressure inside the bubble:
 - (A) increases
 - (B) remains the same
 - (C) is equal to the atmospheric pressure
 - (D) decreases
- 13. Plane angle and solid angle have:
 - (A) Dimensions but no units
- (B) No units and no dimensions
- (C) Both units and dimensions
- (D) Units but no dimensions
- 14. When light propagates through a material medium of relative permittivity \in and relative permeability μ_r , the velocity of light, v is given by : (c-velocity of light in vacuum)
- (A) $v = \sqrt{\frac{\mu_r}{\epsilon_r}}$ (B) $v = \sqrt{\frac{\epsilon_r}{\mu_r}}$ (C) $v = \frac{c}{\sqrt{\epsilon_r \mu_r}}$
- **15.** Two resistors of resistance, 100 Ω and 200 Ω are connected in parallel in an electrical circuit. The ratio of the thermal energy developed in 100Ω to that in 200Ω in a given time is :
 - (A) 2:1
- (B) 1:4
- (C) 4:1
- (D) 1:2

16. The graph which shows the variation of the de-Broglie wavelength (λ) of a particle and its associated momentum (p) is :










- 17. A square loop of side 1 m and resistance 1 Ω is placed in a magnetic field of 0.5 T. If the plane of loop is perpendicular to the direction of magnetic field, the magnetic flux through the loop is :
 - (A) 0.5 weber
- (B) 1 weber
- (C) Zero weber
- (D) 2 weber

- **18.** The dimensions $[MLT^{-2} A^{-2}]$ belong to the :
 - (A) self inductance

(B) magnetic permeability

(C) electric permittivity

- (D) magnetic flux
- 19. When two monochromatic lights of frequency, v and $\frac{v}{2}$ are incident on a photoelectric metal, their stopping potential becomes $\frac{V_s}{2}$ and V_s respectively. The threshold frequency for this metal is:
 - (A) 3υ
- (B) $\frac{2}{3}v$
- (C) $\frac{3}{2}v$
- (D) 2υ
- 20. In half wave rectification, if the input frequency is 60 Hz, then the output frequency would be:
 - (A) 30 Hz
- (B) 60 Hz
- (C) 120 Hz
- (D) Zero
- 21. An ideal gas undergoes four different processes from the same initial state as shown in the figure below. Those processes are adiabatic, isothermal, isobaric and isochoric. The curve which represents the adiabatic process among 1,2,3 and 4 is:



- (A) 2
- (B) 3
- (C) 4
- (D) 1


22. Match List - I with List -II

	List-I		List-II
	(Electromagnetic waves)		(Wavelength)
(a)	AM radio waves	(i)	10 ⁻¹⁰ m
(b)	Microwaves	(ii)	10^{2}m
(c)	Infrared radiations	(iii)	10 ⁻² m
(d)	X-rays	(iv)	10 ⁻⁴ m

Choose the correct answer from the options given below:

- (A) (a) (iii), (b) (ii), (c) (i), (d) (iv)
- (B) (a) (iii), (b) (iv), (c) (ii), (d) (i)
- (C) (a) (ii), (b) (iii), (c) (iv), (d) (i)
- (D) (a) (iv), (b) (iii), (c) (ii), (d) (i)

The displacement-time graphs of two moving particles make angles of 30° and 45° with the x-23. axis as shown in the figure. The ratio of their respective velocity is:



- (C) 1: $\sqrt{3}$
- (D) $\sqrt{3}:1$

24. In a Young's double slit experiment, a student observes 8 fringes in a certain segment of screen when a monochromatic light of 600 nm wavelength is used. If the wavelength of light is changed to 400 nm, then the number of fringes he would observe in the same region of the screen is:

- (A) 8
- (B) 9
- (C) 12
- (D) 6

25. The peak voltage of the ac source is equal to:

- (A) the rms value of the ac source
- (B) $\sqrt{2}$ times the rms value of the ac source
- (C) $1/\sqrt{2}$ time the rms value of the ac source
- (D) the value of voltage supplied to the circuit.

If the initial tension on a stretched string is doubled, then the ratio of the initial and final speeds 26. of a transverse wave along the string is:

- (A) $\sqrt{2}:1$
- (B) $1:\sqrt{2}$
- (C) 1:2
- (D) 1:1

27. Given blow are two statements:

> Statement I: Biot-Savart's law gives us the expression for the magnetic field strength of an infinitesimal current element(Idl) of a current carrying conductor only.

Statement II: Biot-Savart's law is analogous to Coulomb's inverse square law of change q, with the former being related to the field produced by a scalar source, Idl while the latter being produced by a vector source, q.

- (A) Both statement I and Statement II are incorrect
- (B) Statement I is correct and Statement II is incorrect
- (C) Statement I is incorrect and Statement II is correct
- (D) Both statement I and Statement II are correct

- **28.** As the temperature increase, the electrical resistance :
 - (A) decreases for both conductors and semiconductors
 - (B) increases for conductors but decreases for semiconductors
 - (C) decreases for conductors but increase for semiconductors
 - (D) increases for both conductors and semiconductors.
- **29.** The energy that will be ideally radiated by a 100 kW transmitter in 1 hour is :
 - (A) 36×10^4 J
- (B) $36 \times 10^5 \,\text{J}$
- (C) $1 \times 10^5 \,\text{J}$
- (D) 36×10^7 J
- **30.** A body of mass 60 g experiences a gravitational force of 3.0 N, when placed at a particular point. The magnitude of the gravitational field intensity at that point is:
 - (A) 50 N/kg
- (B) 20 N/kg
- (C) 180 N/kg
- (D) 0.05 N/kg


31. In the given nuclear reaction, the element X is:


$$^{22}_{11}$$
Na $\to X + e^+ + \nu$

- (A) $^{23}_{10}$ Ne
- (B) $_{10}^{22}$ Ne
- (C) $^{22}_{12}$ Mg
- (F) $^{23}_{11}$ Na
- 32. The angle between the electric lines of force and the equipotential surface is:
 - (A) 45°
- (B) 90°
- (C) 180°
- (D) 0°
- 33. A copper wire of length 10 m and radius $(\frac{10^{-2}}{\sqrt{\pi}})$ has electrical resistance of 10 Ω. The current density in the wire for an electric field strength of 10 (V/m) is:
 - (A) $10^6 \, \text{A/m}^2$
- (B) 10^{-5} A/m²
- (C) 10^5 A/m^2
- (D) 10^4 A/m^2
- 34. The ratio of the distances travelled by a freely falling body in the 1st, 2nd, 3rd and 4th second:
 - (A) 1:4:9:16
- (B) 1:3:5:7
- (C) 1:1:1:1
- (D) 1:2:3:4
- 35. An electric lift with a maximum load of 2000 kg (lift + passengers) is moving up with a constant speed of 1.5 ms⁻¹. The frictional force opposing the motion is 3000 N. The minimum power delivered by the motor to the lift in watts is: $(g = 10 \text{ ms}^{-2})$
 - (A) 20000
- (B) 34500
- (C) 23500
- (D) 23000
- **36.** The volume occupied by the molecules contained in 4.5 kg water at STP, if the intermolecular forces vanish away is:
 - (A) $5.6 \times 10^3 \,\mathrm{m}^3$
- (B) $5.6 \times 10^{-3} \text{ m}^3$
- (C) 5.6 m^3
- (D) $5.6 \times 10^6 \,\mathrm{m}^3$
- 37. The area of a rectangular field (in m²) of length 55.3 m and breadth 25 m after rounding off the value for correct significant digits is :
 - (A) 1382
- (B) 1382.5
- (C) 14×10^2
- (D) 138×10^{1}



38. A capacitor of capacitance C = 900 pF is charged fully by 100 V battery B as shown in figure (a). Then it is disconnected from the battery and connected to another uncharged capacitor of capacitance C = 900 pF as shown in figure (b). The electrostatic energy stored by the system (b) is:





- (B) 2.25×10^{-6} J
- (C) 1.5×10^{-6} J
- (D) 4.5×10^{-6} J

39. Match List - I with List - II:

	List-I		List-II
(a)	Gravitational constant (G)	(i)	[L ² T ⁻²]
(b)	Gravitational potential energy	(ii)	[M-1L3T-2]
(c)	Gravitational potential	(iii)	[LT-2]
(d)	Gravitational intensity	(iv)	[ML ² T ⁻²]

Choose the correct answer from the options given below:

- (A) (a)-(ii), (b)-(iv), (c)-(i), (d)- (iii)
- (B) (a)-(ii), (b)-(iv), (c)-(iii), (d)- (i)
- (C) (a)-(iv), (b)-(ii), (c)-(i), (d)- (iii)
- (D) (a)-(ii), (b)-(i), (c)-(iv), (d)- (iii)
- 40. Two pendulums of length 121 cm and 100 cm start vibrating in phase. At some instant, the two are at their mean position in the same phase. The minimum number of vibrations of the shorter pendulum after which the two are again in phase at the mean position is:
 - (A) 9
- (B) 10
- (C) 8
- (D) 11
- 41. Given below are two statements: One is labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A): The stretching of a spring is determined by the shear modulus of the material of the spring.

Reason (R): A coil spring of copper has more tensile strength than a steel spring of same dimensions.

- (A) Both (A) and (R) are true and (R) is not the correct explanation of (A)
- (B) (A) is true but (R) is false
- (C) (A) is false but (R) is true
- (D) Both (A) and (R) are true and (R) is the correct explanation of (A)


$$Y_{copper} < Y_{steel}$$

- 42. A ball is projected with velocity 10 m/s, at an angle of 60° with the vertical direction. Its speed at the highest point of its trajectory will be:
 - (A) $5\sqrt{3}$ ms⁻¹
- (B) 5 ms^{-1}
- (C) 10 ms⁻¹
- (D) Zero



- **43.** Two transparent media A and B are separated by a plane boundary. The speed of light in those media are 1.5×10^8 m/s and 2.0×10^8 m/s, respectively. The critical angle for a ray of light for these two media is:
 - (A) $\sin^{-1}(0.750)$
- (B) tan^{-1} (0.500)
- (C) tan^{-1} (0.750) (D) sin^{-1} (0.500)

44.



The truth table for the given logic circuit is:

- **45.** A series LCR circuit with inductance 10 H, capacitance 10 μ F, resistance 50 Ω is connected to an ac source of voltage, V = 200 sin (100 t) volt. If the resonant frequency of the LCR circuit is v_0 and the frequency of the ac source is v, then


(A)
$$v_0 = v = \frac{50}{\pi} \text{Hz}$$

(B)
$$v_0 = \frac{50}{\pi} Hz, v = 50 Hz$$

(C)
$$v = 100 \text{ Hz}; v_o = \frac{100}{\pi} \text{ Hz}$$


(D)
$$v_0 = v = 50$$
Hz

A wheatstone bridge is used to determine the value of unknown resistance X by adjusting the 46. variable resistance Y as shown in the figure. For the most precise measurement of X, the resistances P and Q:



- (A) should be approximately equal and are small
- (B) should be very large and unequal
- (C) do not play any significant role
- (D) should be approximately equal to 2X

- **47.** From Ampere's circuital law for a long straight wire of circular cross-section carrying a steady current, the variation of magnetic field in the inside and outside region of the wire is:
 - (A) a linearly increasing function of distance upto the boundary of the wire and then linearly decreasing for the outside region.
 - (B) a linearly increasing function of distance r upto the boundary of the wire and then decreasing one with 1/r dependence for the outside region.
 - (C) a linearly decreasing function of distance upto the boundary of the wire and then a linearly increasing one for the outside region.
 - (D) uniform and remains constant for both the regions.
- 48. A big circular coil of 1000 turns and average radius 10 m is rotating about its horizontal diameter at 2 rad s⁻¹. If the vertical component of earth's magnetic field at that place is 2×10^{-5} T and electrical resistance of the coil is 12.56 Ω , then the maximum induced current in the coil will be:
 - (A) 1.5 A
- (B) 1 A
- (C) 2 A
- (D) 0.25 A
- **49.** Two point charges –q and +q are placed at a distance of L, as shown in the figure.



The magnitude of electric field intensity at a distance R (R >>L) varies as:

- (A) $\frac{1}{R^3}$
- (B) $\frac{1}{R^4}$
- (C) $\frac{1}{R^6}$
- (D) $\frac{1}{R^2}$
- **50.** A nucleus of mass number 189 splits into two nuclei having mass number 125 and 64. The ratio of radius of two daughter nuclei respectively is:
 - (A) 4:5
- (B) 5:4
- (C) 25:16
- (D) 1:1

51. Given below are two statements:

Statement I : In the coagulation of a negative sol, the flocculating power of the three given ions is in the order-

 $A1^{3+} > Ba^{2+} > Na^{+}$

Statement II : In the coagulation of a positive sol, the flocculating power of the three given salts is in the order-

NaCl > Na₂SO₄ > Na₃PO₄

- (A) Both statement I and statement II are incorrect.
- (B) Statement I is correct but statement II is incorrect
- (C) Statement I is incorrect but statement II is correct.
- (D) Both statements I and statements II are correct.
- **52.** Which statement regarding polymers is not correct?
 - (A) Fibers possess high tensile strength.
 - (B) Thermoplastic polymers are capable of repeatedly softening and hardening on heating and cooling respectively.
 - (C) Thermosetting polymers are reusable.
 - (D) Elastomers have polymer chains held together by weak intermolecular forces.

- 53. The incorrect statement regarding chirality is:
 - (A) The product obtained by S_N2 reaction of haloalkane having chirality at the reactive site shows inversion of configuration,
 - (B) Enantiomers are superimposable mirror images of each other.
 - (C) A racemic mixture shows zero optical rotation.
 - (D) S_N1 reaction yields 1: 1 mixture of both enantiomers.
- **54.** $RMgX + CO_2 \xrightarrow{dry} Y \xrightarrow{H_3O^+} RCOOH$

What is Y in the above reaction:

- (A) R₃CO-Mg⁺X
- (B) RCOO-X+
- (C) (RCOO)₂Mg
- (D) RCOO-Mg+X
- 55. In one molal solution that contains 0.5 mole of a solute, there is
 - (A) 500 g of solvent
 - (B) 100 mL of solvent
 - (C) 1000 g of solvent
 - (D) 500 mL of solvent
- **56.** Match List-I with List-II

List-I

(Hydrides)

- (a) MgH₂
- (b) GeH₄
- (c) B_2H_6
- (d) HF

List-II

(Nature)

- (i) Electron precise
- (ii) Electron deficient
- (iii) Electron rich
- (iv) Ionic

Choose the correct answer from the options given below:

- (A) (a)-(iii), (b) (i), (c) (ii), (d)- (iv)
- (B) (a)-(i), (b) (ii), (c) (iv), (d)- (iii)
- (C) (a)-(ii), (b) (iii), (c) (iv), (d) (i)
- (D) (a) -(iv), (b) (i), (c) (ii), (d)- (iii)
- 57. Given below are two statements:-
 - **Statement I**: The boiling points of aldehydes and ketones are higher than hydrocarbons of comparable molecular masses because of weak molecular association in aldehydes and ketones due to dipole dipole interactions.
 - **Statements II :** The boiling points aldehydes and ketones are lower than the alcohols of similar molecular masses due to the absence of H-bonding.

- (A) Both statements I and statements II are incorrect.
- (B) Statement I is correct but statements II is incorrect
- (C) Statements I is incorrect but statements II is correct.
- (D) Both statements I and statements II are correct.

58. Match List-I with List -II.

List-I

(Products formed)

(a) Cyanohydrin

(b) Acetal

(c) Schiff's base

(d) Oxime

List-II

(Reaction of carbonyl compound with)

(i) NH₂OH

(ii) RNH₂

(iii) alcohol

(iv) HCN

Choose the correct answer from the options given below:

(A) (a)-(ii), (b) - (iii), (c) - (iv), (d)- (i)

(B) (a)-(i), (b) - (iii), (c) - (ii), (d)- (iv)

(C) (a)-(iv), (b) - (iii), (c) - (ii), (d)- (i)

(D) (a) - (iii), (b) - (iv), (c) - (ii), (d)- (i)

59. Which one is not correct mathematical equation for Dalton's Law of partial pressure? Here p = total pressure of gaseous mixture

(A)
$$p = n_1 \frac{RT}{V} + n_2 \frac{RT}{V} + n_3 \frac{RT}{V}$$

(B) $p_1 = \chi_1 p$,

(C) $p_1 = \chi_1 p_1^0$,

(D) $p=p_1+p_2+p_3$

where p₁ = partial pressure of ith gas

 χ_1 = mole fraction of i_{th}" gas in gaseous mixture where χ_1 /= mole fraction of ith" gas in

gaseous mixture p₁0= pressure of ith" gas

in pure state

60. Match List-I with List-II.

List-I

(Drug class)

(a) Antacids

(b) Antihistamines

(c) Analgesics

(d) Antimicrobials

List-II

(Drug molecule)

(i) Salvarsan

(ii) Morphine

(iii) Cimetidine

(iv) Seldane

Choose the correct answer from the options given below:



61. Given below are two statements

Statement I : The boiling points of the following hydrides of group 16 elements increases in the order –

 $H_2O < H_2S < H_2Se < H_2Te$


Statement II: The boiling points of these hydrides increase with increase in molar mass.


In the light of the above statements, choose the most appropriate answer from the options given below:

- (A) Both **Statement I** and **Statement II** are incorrect
- (B) Statement I is correct but Statement II is incorrect
- (C) Statement I is incorrect but Statement II is correct
- (D) Both **Statement I** and **Statement II** are correct
- **62.** The IUPAC name of the complex-

 $[Ag(H_2O)_2][Ag(CN)_2]$ is:

- (A) diaquasilver(II)dicyanidoargentate(II)
- (B) dicyanidosilver(I)diaquaargentate(I)
- (C) diaquasilver(I)dicyanidoargentate(I)
- (D) dicyanidosilver(II)diaquaargentate(II)
- 63. Which of the following sequence of reactions is suitable to synthesize chlorobenzene?
 - (1) Phenol, NaNO₂, HCl, CuCl





HCl, Heating

- (D) Benzene, Cl₂, anhydrous FeCl₃
- **64.** Given below are two statements: one is labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A): ICI is more reactive than I₂.

Reason (R): I-CI bond is weaker than I-I bond.


- (A) Both (A) and (R) are correct but (R) is not the correct explanation of (A).
- (B) (A) is correct but (R) is not correct
- (C) (A) is not correct but (R) is correct
- (D) Both (A) and (R) are correct and (R) is the correct explanation of (A).
- 65. The IUPAC name of an element with atomic number 119 is
 - (A) unnilennium
 - (B) unununnium
 - (C) ununoctium
 - (D) ununennium



66. At 298 K, the standard electrode potentials of Cu^{2+} / Cu, Zn^{2+} / Zn, Fe^{2+} / Fe and Ag^+ / Ag are 0.34 V, -0.76 V, -0.44 V and 0.80 V, respectively.


On the basis of standard electrode potential, predict which of the following reaction cannot occur?


- (A) $CuSO_4(aq) + Fe(s) \rightarrow FeSO_4(aq) + Cu(s)$
- (B) $FeSO_4(aq) + Zn(s) \rightarrow ZnSO_4(aq) + Fe(s)$
- (C) $2CuSO_4(aq) + 2Ag(s) \rightarrow 2Cu(s) + Ag_2SO_4(aq)$
- (D) $CuSO_4(aq) + Zn(s) \rightarrow ZnSO_4(aq) + Cu(s)$
- **67.** Which compound amongst the following is **not** an aromatic compound?











- (A) Diamond is covalent and graphite is ionic.
- (B) Diamond is sp³ hybridised and graphite is sp² hybridized.
- (C) Both diamond and graphite are used as dry lubricants.
- (D) Diamond and graphite have two dimensional network.
- **69.** Given below are two statements

Statement I: Primary aliphatic amines react with HNO₂ to give unstable diazonium salts.

Statement II: Primary aromatic amines react with HNO₂ to form diazonium salts which are stable even above 300 K. In the light of the above statements, choose the most **appropriate** answer from the options given below

- (A) Both Statement I and Statement II are incorrect.
- (B) Statement I is correct but Statement II is incorrect.
- (C) Statement I is incorrect but Statement II is correct.
- (D) Both Statement I and Statement II are correct.



70. Given below are two statements: one is labelled as **Assertion (A)** and the other is labelled as **Reason (R)**.

Assertion (A): In a particular point defect, an ionic solid is electrically neutral, even if few of its cations are missing from its unit cells.


Reason (R): In an ionic solid, Frenkel defect arises due to dislocation of cation from its lattice site to interstitial site, maintaining overall electrical neutrality.

In the light of the above statements, choose the most appropriate answer from the options given below:


- (A) Both (A) and (R) are correct but (R) is not the correct explanation of (A)
- (B) (A) is correct but (R) is not correct
- (C) (A) is not correct but (R) is correct
- (D) Both (A) and (R) are correct and (R) is the correct explanation of (A)
- 71. The Kjeldahl's method for the estimation of nitrogen can be used to estimate the amount of nitrogen in which one of the following compounds?










72. Which of the following p-V curve represents maximum work done?










- 73. Which of the following statement is not correct about diborane?
 - (A) The four terminal B-H bonds are two centre two electron bonds.
 - (B) The four terminal Hydrogen atoms and the two Boron atoms lie in one plane.
 - (C) Both the Boron atoms are sp^2 hybridised.
 - (C) There are two 3-centre-2-electron bonds.

- 74. The pH of the solution containing 50 mL each of 0.10 M sodium acetate and 0.01 M acetic acid is [Given pK_a of CH₃COOH = 4.57]
 - (A) 3.57
- (B) 4.57
- (C) 2.57
- (D) 5.57
- **75.** Which amongst the following is **incorrect** statement?
 - (A) C_2 molecule has four electrons in its two degenerate π molecular orbitals
 - (B) H₂⁺ ion has one electron
 - (C) O₂ ion is diamagnetic
 - (D) The bond orders of O_2^+, O_2^-, O_2^- and O_2^{2-} are 2.5, 2, 1.5 and 1, respectively
- 76. Amongst the following which one will have maximum 'lone pair lone pair' electron repulsions?
 - (A) IF₅
- (B) SF₄
- (C) XeF₂
- (D) CIF₃
- 77. What mass of 95% pure CaCO₃ will be required to neutralise 50 mL of 0.5 M HCl solution according to the following reaction?

$$CaCO_3(s) + 2HCl(aq) \rightarrow CaCl_2(aq) + CO_2(g) + 2H_2O(l)$$

[Calculate upto second place of decimal point]

- (A) 1.32 g
- (B) 3.65 g
- (C) 9.50 g
- (D) 1.25 g
- 78. Identify the incorrect statement from the following
 - (A) The oxidation number of K in KO_2 is +4.
 - (B) Ionisation enthalpy of alkali metals decreases from top to bottom in the group.
 - (C) Lithium is the strongest reducing agent among the alkali metals.
 - (D) Alkali metals react with water to form their hydroxides.
- 79. Gadolinium has a low value of third ionisation enthalpy because of
 - (A) high exchange enthalpy
 - (B) high electronegativity
 - (C) high basic character
 - (D) small size
- **80.** The given graph is a representation of kinetics of a reaction.



The y and x axes for zero and first order reactions, respectively are

- (A) zero order (y = concentration and x = time), first order (y = rate constant and x = concentration)
- (B) zero order (y = rate and x = concentration), first order (y = $t\frac{1}{2}$ and x = concentration)
- (C) zero order (y = rate and x = concentration), first order (y = rate and x = $t^{1/2}$)
- (D) zero order (y = concentration and x = time), first order (y = $t\frac{1}{2}$ and x = concentration)

- **81.** The incorrect statement regarding enzymes is
 - (A) Like chemical catalysts enzymes reduce the activation energy of bio processes.
 - (B) Enzymes are polysaccharides.
 - (C) Enzymes are very specific for a particular reaction and substrate.
 - (D) Enzymes are biocatalysts.
- **82.** Identify the incorrect statement from the following.
 - (A) All the five 4d orbitals have shapes similar to the respective 3d orbitals.
 - (B) In an atom, all the five 3d orbitals are equal in energy in free state.
 - (C) The shapes of d_{xy} , d_{yz} and d_{zx} orbitals are similar to each other; and $d_{x^2-y^2}$ and d_{z^2} are similar to each other.
 - (D) All the five 5d orbitals are different in size when compared to the respective 4d orbitals.
- **83.** Given below are half cell reactions:

$$MnO_4^- + 8H^+ + 5e^- \rightarrow Mn^{2+} + 4H_2O$$

$$E_{Mn^{2+}/MnO_4^-}^{\circ} = -1.510 \text{ V}$$

$$\frac{1}{2}O_2 + 2H^+ + 2e^- \rightarrow H_2O$$

$$E_{O_2/H_2O}^{\circ} = +1.223 \text{ V}$$

Will the permanganate ion, MnO₄ liberate O₂ from water in the presence of an acid?

- (A) No, because $E_{cell}^{\circ} = -0.287 \,\mathrm{V}$
- (B) Yes, because $E_{cell}^{\circ} = +2.733 V$
- (C) No, because $E_{\text{cell}}^{\circ} = -2.733 \text{ V}$
- (D) Yes, because $E_{cell}^{\circ} = +0.287 \text{ V}$
- 84. Match **List-I** with **List-II**

List-I List-II

- (a) Li (i) absorbent for carbon dioxide
- (b) Na (ii) electrochemical cells
- (c) KOH (iii) coolant in fast breeder reactors
- (d) Cs (iv) photoelectric cell

Choose the correct answer from the options given below:

- (A) (a) (iii), (b) (iv), (c) (ii), (d) (i)
- (B) (a) (i), (b) (iii), (c) (iv), (d) (ii)
- (C) (a) (ii), (b) (iii), (c) (i), (d) (iv)
- (D) (a) (iv), (b) (i), (c) (iii), (d) (ii)
- **85.** Given below are two statements

Statement I: The acidic strength of monosubstituted nitrophenol is higher than phenol because of electron withdrawing nitro group.

Statement II: o-nitrophenol, m-nitrophenol and p-nitrophenol will have same acidic strength as they have one nitro group attached to the phenolic ring.

- (A) Both Statement I and Statement II are incorrect.
- (B) Statement I is correct but Statement II is incorrect.
- (C) Statement I is incorrect but Statement II is correct.
- (D) Both Statement I and Statement II are correct

SECTION - B

86. The pollution due to oxides of sulphur gets enhanced due to the presence of:

(a) particulate matter

(b) ozone

(c) hydrocarbons

(d) hydrogen peroxide

Choose the most appropriate answer from the options given below:

(A) (a), (b), (d) only

(B) (b), (c), (d) only

(C) (a), (c), (d) only

(D) (a), (d) only

87. The correct IUPAC name of the following compound is:

- (A) 6-bromo-2-chloro-4-methylhexan-4-ol
- (B) 1-bromo-4-methyl-5-chlorohexan-3-ol
- (C) 6-bromo-4-methyl-2-chlorohexan-4-ol
- (D) 1-bromo-5-chloro-4-methylhexan-3-ol

88.
$$3O_2(g) \rightleftharpoons 2O_3(g)$$

for the above reaction at 298 K, K_C is found to be 3.0×10^{-59} . If the concentration of O_2 at equilibrium is 0.040 M then concentration of O_3 in M is

(A) 1.9×10^{-63}

(B) 2.4×10^{31}

(C) 1.2×10^{21}

(D) 4.38×10^{-32}

89. Match List-I with List-II.

List-II List-II

(Ores)

(Composition)

- (a) Haematite
- (i) (Fe)₃O₄
- (b) Magnetite
- (ii) ZnCO₃
- (c) Calamine
- (iii) Fe₂O₃
- (d) Kaolinite
- (iv) $[Al_2(OH)_4(Si)_2O_5]$

Choose the correct answer from the options given below:

- (A) (a)-(iii), (b)-(i), (c)-(ii), (d)-(iv)
- (B) (a)-(iii), (b)-(i), (c)-(iv), (d)-(ii)
- (C) (a)-(i), (b)-(iii), (c)-(ii), (d)-(iv)
- (D) (a)-(i), (b)-(ii), (c)-(iii), (d)-(iv)

90. Given below are two statements:

Statement I: In Lucas test, primary, secondary and tertiary alcohols are distinguished on the basis of their reactivity with conc. HCl +ZnCl₂, known as Lucas Reagent.

Statement II: Primary alcohols are most reactive and immediately produce turbidity at room temperature on reaction with Lucas Reagent.

- (A) Both Statement I and Statement II are incorrect.
- (B) Statement I is correct but Statement II is incorrect.
- (C) Statement I is incorrect but Statement II is correct
- (D) Both Statement I and Statement II are correct

- **91.** In the neutral or faintly alkaline medium, KMnO₄ oxidses iodide into iodate. The change in oxidation state of manganese in this reaction is from
 - (A) +6 to +4

(B) +7 to +3

(C) +6 to +5

- (D) +7 to +4
- 92. For a first order reaction $A \to \text{Products}$, initial concentration of A is 0.1 M, which becomes 0.001 M after 5 minutes. Rate constant for the reaction in min⁻¹ is
 - (A) 0.9212

(B) 0.4606

(C) 0.2303

- (D) 1.3818
- 93. Compound X on reaction with 0_3 followed by Zn/ H_2O gives formaldehyde and 2-methyl propanal as products. The compound X is :
 - (A) 2-Methylbut-1-ene

(B) 2-Methylbut-2-ene

(C) Pent-2-ene

- (D) 3-Methylbut-1-ene
- 94. A 10.0 L flask contains 64 g of oxygen at 27°C. (Assume 0₂ gas is behaving ideally). The pressure inside the flask in bar is

(Given $R = 0.0831 \text{ Lbar} \text{K}^{-1} \text{ mol}^{-1}$)

- (A) 498.6
- (B) 49.8
- (C) 4.9
- (D) 2.5
- **95.** The order of energy absorbed which is responsible for the color of complexes
 - (a) $[Ni(H_2O_2(en)_2]^{2+}$
 - (b) $[Ni(H_20)_4(en)]^{2+}$ and
 - (c) $[Ni(en)_3]^{2+}$
 - (A) (c) > (b) > (a)
 - (B) (c) > (a) > (b)
 - (C) (b) > (a) > (c)
 - (D) (a) > (b) > (c)
- **96.** Which one of the following is not formed when acetone reacts with 2-pentanone in the presence of dilute NaOH followed by heating?

97. Find the emf of the cell in which the following reaction takes place at 298 K

$$Ni(s) + 2Ag^{+}(0.001M) \rightarrow Ni^{2+} + (0.001M) + 2Ag(s)$$

(Given that $E_{\text{cell}}^o = 10.5 \text{ V}, \frac{2.303 \text{RT}}{F} = 0.059 \text{ at } 298 \text{ K}$)

- (A) 1.385 V
- (B) 0.9615 V
- (C) 1.05 V
- (D) 1.0385 V
- 98. If radius of second Bohr orbit of the He⁺ion is 105.8 pm, what is the radius of third Bohr orbit of Li²⁺ ion?
 - (A) 15.87 pm
- (B) 1.587 pm
- (C) 158.7Å
- (D) 158.7 pm
- Copper crystallises in fcc unit cell with cell edge length of 3.608×10^{-8} cm. The density of 99. copper is 8.92 g cm^{-3} . Calculate the atomic mass of copper.
 - (A) 31.55 u
- (B) 60 u
- (C) 65 u
- (D) 63.1 u
- 100. The product formed from the following reaction sequence is

$$\begin{array}{ccc} & \text{(i) LiAlH}_{\tiny 4}, \text{ H}_{\tiny 2}\text{O} \\ & \text{(ii) NaNO}_{\tiny 2}\text{+ HCl} \\ & \text{(iii) H}_{\tiny 2}\text{O} \end{array}$$

$$(A)$$
 N_2Cl

- 101. Read the following statements about the vascular bundles:
 - (a) In roots, xylem and phloem in a vascular bundle are arranged in an alternate manner along the different radii.
 - (b) Conjoint closed vascular bundles do not possess cambium
 - (c) In open vascular bundles, cambium is present in between xylem and phloem
 - (d) The vascular bundles of dicotyledonous stem possess endarch protoxylem
 - (e) In monocotyledonous root, usually there are more than six xylem bundles present Choose the correct answer from the options given below:
 - (A) (b), (c), (d) and (e) Only
- (B) (a), (b), (c) and (d) Only
- (C) (a), (c), (d) and (e) Only
- (D) (a), (b) and (d) Only
- 102. Identify the correct set of statements:
 - (a) The leaflets are modified into pointed hard thorns in Citrus and Bougainvillea
 - (b) Axillary buds form slender and spirally coiled tendrils in cucumber and pumpkin
 - (c) Stem is flattened and fleshy in Opuntia and modified to perform the function of leaves
 - (d) Rhizophora shows vertically upward growing roots that help to get oxygen for respiration
 - (e) Subaerially growing stems in grasses and strawberry help in vegetative propagation Choose the correct answer from the options given below:
 - (A) (a) and (d) Only

- (B) (b), (c), (d) and (e) Only
- (C) (a), (b), (d) and (e) Only
- (D) (b) and (c) Only



- 103. The appearance of recombination nodules on homologous chromosomes during meiosis characterizes:
 - (A) Bivalent

(B) Sites at which crossing over occurs

(C) Terminalization

- (D) Synaptonemal complex
- 104. Read the following statements and choose the set of correct statements:
 - (a) Euchromatin is loosely packed chromatin
 - (b) Heterochromatin is transcriptionally active
 - (c) Histone octomer is wrapped by negatively charged DNA in nucleosome
 - (d) Histones are rich in lysine and arginine
 - (e) A typical nucleosome contains 400 bp of DNA helix

Choose the correct answer from the options given below:

(A) (a), (c), (d) Only

(B) (b), (e) Only

(C) (a), (c), (e) Only

(D) (b), (d), (e) Only

105. Given below are two statements:

> Statement I: The primary CO₂ acceptor in C₄ plants is phosphoenolpyruvate and is found in the mesophyll cells.

> Statement II: Mesophyll cells of C₄ plants lack RuBisCo enzyme. In the light of the above statements, choose the correct answer from the options given below:

- (1) Both Statement I and Statement II are incorrect
- (2) Statement I is correct but Statement II is incorrect
- (3) Statement I is incorrect but Statement II is correct
- (4) Both Statement I and Statement II are correct
- 106. Identify the incorrect statement related to Pollination:
 - (A) Pollination by wind is more common amongst abiotic pollination
 - (B) Flowers produce foul odours to attract flies and beetles to get pollinated
 - (C) Moths and butterflies are the most dominant pollinating agents among insects
 - (D) Pollination by water is quite rare in flowering plants
- 107. Which one of the following statement is not true regarding gel electrophoresis technique?
 - (A) The separated DNA fragments are stained by using ethidium bromide.
 - (B) The presence of chromogenic substrate gives blue coloured DNA bands on the gel.
 - (C) Bright orange coloured bands of DNA can be observed in the gel when exposed to UV light.
 - (D) The process of extraction of separated DNA strands from gel is called elution.
- 108. Habitat loss and fragmentation, over exploitation, alien species invasion and co-extinction are causes for:
 - (A) Competition

(B) Biodiversity loss

(C) Natality

(D) Population explosion



- 109. Production of Cucumber has increased manifold in recent years. Application of which of the following phytohormones has resulted in this increased yield as the hormone is known to produce female flowers in the plants:
 - (A) Gibberellin

(B) Ethylene

(C) Cytokinin

- (D) ABA
- 110. What is the net gain of ATP when each molecule of glucose is converted to two molecules of pyruvic acid?
 - (A) Six

(B) Two

(C) Eight

- (D) Four
- 111. Given below are two statements:

Statement I: Cleistogamous flowers are invariably autogamous

Statement II: Cleistogamy is disadvantageous as there is no chance for cross pollination In the light of the above statements, choose the correct answer from the options given below:

- (A) Both Statement I and Statement II are incorrect
- (B) Statement I is correct but Statement II is incorrect
- (C) Statement I is incorrect but Statement II is correct
- (D) Both Statement I and Statement II are correct
- 112. Hydrocolloid carrageen is obtained from:
 - (A) Phaeophyceae and Rhodophyceae
 - (B) Rhodophyceae only
 - (C) Phaeophyceae only
 - (D) Chlorophyceae and Phaeophyceae
- 113. "Girdling Experiment" was performed by Plant Physiologists to identify the plant tissue through which:
 - (A) food is transported
 - (B) for both water and food transportation
 - (C) osmosis is observed
 - (D) water is transported
- 114. Which of the following is incorrectly matched?
 - (A) Ulothrix Mannitol
 - (B) Porphyra Floridian Starch
 - (C) Volvox Starch
 - (D) Ectocarpus Fucoxanthin
- 115. DNA polymorphism forms the basis of :
 - (A) DNA finger printing
 - (B) Both genetic mapping and DNA finger printing
 - (C) Translation
 - (D) Genetic mapping

116. Match List-I with List-II

	List-l		List-II	
(a)	Manganese	(i)	Activates the enzyme catalase	
(b)	Magnesium	(ii)	Required for pollen germination	
(c)	Boron	(iii)	Activates enzymes of respiration	
(d)	Iron	(iv)	Functions in splitting of water during photosynthesis	

Choose the correct answer from the options given below:

- (A) (a)-(iv), (b)-(iii), (c)-(ii), (d)-(i)
- (B) (a)-(iv), (b)-(i), (c)-(ii), (d)-(iii)
- (C) (a)-(iii), (b)-(i), (c)-(ii), (d)-(iv)
- (D) (a)-(iii), (b)-(iv), (c)-(i), (d)-(ii)
- **117.** The process of translation of mRNA to proteins begins as soon as:
 - (A) The larger subunit of ribosome encounters mRNA
 - (B) Both the subunits join together to bind with mRNA
 - (C) The tRNA is activated and the larger subunit of ribosome encounters mRNA
 - (D) The small subunit of ribosome encounters mRNA
- 118. The device which can remove particulate matter present in the exhaust from a thermal power plant is:
 - (A) Incinerator

(B) Electrostatic Precipitator

(C) Catalytic Convertor

- (D) STP
- **119.** The flowers are Zygomorphic in:
 - (a) Mustard

(b) Gulmohar

(c) Cassia

- (d) Datura
- (e) Chilly

Choose the correct answer from the options given below:

(A) (b), (c) Only

(B) (d), (e) Only

(C) (c), (d), (e) Only

- (D) (a), (b), (c) Only
- **120.** Given below are two statements: one is labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A): Polymerase chain reaction is used in DNA amplification.

Reason (R): The ampicillin resistant gene is used as a selectable marker to check transformation In the light of the above statements, choose the correct answer from the options given below:

- (A) Both (A) and (R) are correct but (R) is not the correct explanation of (A)
- (B) (A) is correct but (R) is not correct
- (C) (A) is not correct but (R) is correct
- (D) Both (A) and (R) are correct and (R) is the correct explanation of (A)
- **121.** Which one of the following statements cannot be connected to Predation?
 - (A) It might lead to extinction of a species
 - (B) Both the interacting species are negatively impacted
 - (C) It is necessitated by nature to maintain the ecological balance
 - (D) It helps in maintaining species diversity in a community



- **122.** Which one of the following never occurs during mitotic cell division?
 - (A) Movement of centrioles towards opposite poles
 - (B) Pairing of homologous chromosomes
 - (C) Coiling and condensation of the chromatids
 - (D) Spindle fibres attach to kinetochores of chromosomes
- **123.** Which of the following is not a method of ex situ conservation?
 - (A) National Parks

(B) Micropropagation

(C) Cryopreservation

(D) In vitro fertilization

124. Given below are two statements :

Statement I : Mendel studied seven pairs of contrasting traits in pea plants and proposed the Laws of Inheritance.

Statement II: Seven characters examined by Mendel in his experiment on pea plants were seed shape and colour, flower colour, pod shape and colour, flower position and stem height. In the light of the above statements, choose the correct answer from the options given below:

- (A) Both Statement I and Statement II are incorrect
- (B) Statement I is correct but Statement II is incorrect
- (C) Statement I is incorrect but Statement II is correct
- (D) Both Statement I and Statement II are correct
- **125.** Which one of the following plants does not show plasticity?
 - (A) Coriander
 - (B) Buttercup
 - (C) Maize
 - (D) Cotton
- **126.** What amount of energy is released from glucose during lactic acid fermentation?
 - (A) More than 18%
 - (B) About 10%
 - (C) Less than 7%
 - (D) Approximately 15%
- **127.** The gaseous plant growth regulator is used in plants to :
 - (A) promote root growth and roothair formation to increase the absorption surface
 - (B) help overcome apical dominance
 - (C) kill dicotyledonous weeds in the fields
 - (D) speed up the malting process
- **128.** Which of the following is not observed during apoplastic pathway?
 - (A) The movement does not involve crossing of cell membrane
 - (B) The movement is aided by cytoplasmic streaming
 - (C) Apoplast is continuous and does not provide any barrier to water movement
 - (D) Movement of water occurs through intercellular spaces and wall of the cells

129.	through chemiosmosis? It involves (A) Breakdown of electron gradien (B) Movement of protons across the	t	
130.	Which one of the following plants	shows vexillary aestivation and diad	elphous stamens?
	(A) Pisum sativum	(2) Allium cepa	
	(C) Solanum nigrum	(D) Colchicum autumnale	
131.	into simpler substances by microbe Statement II: Decomposition is fast	er if the detritus is rich in lignin and as, choose the correct answer from the t II are incorrect ment II is incorrect ement II is correct	
132.	Which one of the following produc	es ni <mark>trogen f</mark> ixing nodules on the roc	ots of Alnus?
	(A) Frankia (C) Beijerinckia	(B) Rhodospirillum (D) Rhizobium	
133	Exoskeleton of arthropods is comp	osed of ·	
133.	Exoskeleton of arthropods is comp (A) Cellulose (B) Chitin	osed of : (C) Glucosamine	(D) Cutin
133.134.	(A) Cellulose (B) Chitin	(C) Glucosamine	(D) Cutin
		(C) Glucosamine be found in :	(D) Cutin (D) Drosophila
	 (A) Cellulose (B) Chitin XO type of sex determination can be (A) Birds (B) Grasshop In old trees the greater part of secondary metabolic vessels. (b) deposition of organic compoundayers of stem. (c) deposition of suberin and aromated (d) deposition of tannins, gum, resist peripheral layers of stem. (e) presence of parenchyma cells, for essential oils. 	(C) Glucosamine oe found in: opers (C) Monkeys Indary xylem is dark brown and resist ties and their deposition in the lumer ds like tannins and resins in the centratic substances in the outer layer of stin and aromatic substances in the unctionally active xylem elements an	(D) Drosophila rant to insect attack due to n of ral tem.
134.	(A) Cellulose (B) Chitin XO type of sex determination can be (A) Birds (B) Grasshop In old trees the greater part of second (a) secretion of secondary metabolic vessels. (b) deposition of organic compound layers of stem. (c) deposition of suberin and aromated (d) deposition of tannins, gum, resist peripheral layers of stem. (e) presence of parenchyma cells, for	(C) Glucosamine oe found in: opers (C) Monkeys Indary xylem is dark brown and resist ties and their deposition in the lumer ds like tannins and resins in the centratic substances in the outer layer of stin and aromatic substances in the unctionally active xylem elements an	(D) Drosophila rant to insect attack due to n of ral tem.

136. Match List-I with List-II.

	List-I		List-II
(a)	Metacentric chromosome	(i)	Centromere situated close to the end forming one extremely short and one very long arms
(b)	Acrocentric chromosome	(ii)	Centromere at the terminal end
(c)	Submetacentric	(iii)	Centromere in the middle forming two equal arms of chromosomes
(d)	Telocentric chromosome	(iv)	Centromere slightly away from the middle forming one shorter arm and one longer arm

Choose the correct answer from the options given below:

- (A) (a)-(i), (b)-(iii), (c)-(ii), (d)-(iv)
- (B) (a)-(ii), (b)-(iii), (c)-(iv), (d)-(i)
- (C) (a)-(i), (b)-(ii), (c)-(iii), (d)-(iv)
- (D) (a)-(iii), (b)-(i), (c)-(iv), (d)-(ii)
- 137. The entire fleet of buses in Delhi were converted to CNG from diesel. In reference to this, which one of the following statements is false?
 - (A) The same diesel engine is used in CNG buses making the cost of conversion low
 - (B) It is cheaper than diesel
 - (C) It cannot be adulterated like diesel
 - (D) CNG burns more efficiently than diesel
- **138.** Read the following statements on lipids and find out correct set of statements:
 - (a) Lecithin found in the plasma membrane is a glycolipid
 - (b) Saturated fatty acids possess one or more c = c bonds
 - (c) Gingely oil has lower melting point, hence remains as oil in winter
 - (d) Lipids are generally insoluble in water but soluble in some organic solvents
 - (e) When fatty acid is esterified with glycerol, monoglycerides are formed

Choose the correct answer from the option given below:

(A) (a), (d) and (e) only

(B) (c), (d) and (e) only

(C) (a), (b) and (d) only

- (D) (a), (b) and (c) only
- **139.** The anatomy of springwood shows some peculiar features. Identify the correct set of statements about springwood.
 - (a) It is also called as the earlywood
 - (b) In spring season cambium produces xylem elements with narrow vessels
 - (c) It is lighter in colour
 - (d) The springwood along with autumnwood shows alternate concentric rings forming annual rings
 - (e) It has lower density

Choose the correct answer from the options given below:

- (A) (a), (c), (d) and (e) Only
- (B) (a), (b) and (d) Only

(C) (c), (d) and (e) Only

- (D) (a), (b), (d) and (e) Only
- **140.** Transposons can be used during which one of the following?
 - (A) Gene Silencing

(B) Autoradiography

(C) Gene sequencing

(D) Polymerase Chain Reaction

141. Given below are two statements: one is labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A): Mendel's law of Independent assortment does not hold good for the genes that are located closely on the same chromosome.

Reason (R): Closely located genes assort independently.

In the light of the above statements, choose the correct answer from the options given below:

- (A) Both (A) and (R) are correct but (R) is not the correct explanation of (A)
- (B) (A) is correct but (R) is not correct
- (C) (A) is not correct but (R) is correct
- (D) Both (A) and (R) are correct and (R) is the correct explanation of (A)
- **142.** In the following palindromic base sequences of DNA, which one can be cut easily by particular restriction enzyme?
 - (A) 5'GAATTC3'; 3'CTTAAG5'
- (B) 5'CTCAGT3'; 3'GAGTCA5Q
- (C) 5'GTATTC3'; 3'CATAAG5'
- (D) 5□GATACT3'; 3'CTATGA5'
- 143. Which one of the following will accelerate phosphorus cycle?
 - (A) Volcanic activity (B) Weathering of rocks
 - (C) Rain fall and storms

- (D) Burning of fossil fuels
- **144.** Match the plant with the kind of life cycle it exhibits:

	List-l		List-II
(a)	Spirogyra	(i)	Dominant diploid sporophyte vascular plant, with highly reduced male or female gametophyte
(b)	Fern	(ii)	Dominant haploid free-living gametophyte
(c)	Funaria	(iii)	Dominant diploid sporophyte alternating with reduced gametophyte called prothallus
(d)	Cycas	(iv)	Dominant haploid leafy gametophyte alternating with partially dependent multicellular sporophyte

Choose the correct answer from the options given below:


- (A) (a)-(ii), (b)-(iii), (c)-(iv), (d)-(i)
- (B) (a)-(iii), (b)-(iv), (c)-(i), (d)-(ii)
- (C) (a)-(ii), (b)-(iv), (c)-(i), (d)-(iii)
- (D) (a)-(iv), (b)-(i), (c)-(ii), (d)-(iii)
- 145. While explaining interspecific interaction of population, (+) sign is assigned for beneficial interaction, (-) sign is assigned for detrimental interaction and (0) for neutral interaction. Which of the following interactions can be assigned (+) for one specifies and (-) for another specifies involved in the interaction?
 - (A) Amensalim

(B) Commensalism

(C) Competition

- (D) Predation
- **146.** Addition of more solutes in a given solution will:
 - (A) lower its water potential
 - (B) make its water potential zero
 - (C) not affect the water potential at all
 - (D) raise its water potential

147. Which part of the fruit, labelled in the given figure makes it a false fruit?



- (A) $B \rightarrow Endocarp$
- (C) $D \rightarrow Seed$

- (B) $C \rightarrow Thalamus$
- (D) $A \rightarrow Mesocarp$
- 148. Which of the following occurs due to the presence of autosome linked dominant trait?
 - (A) Myotonic dystrophy

(B) Haemophilia

(C) Thalessemia

- (D) Sickle cell anaemia
- **149.** If a geneticist uses the blind approach for sequencing the whole genome of an organism, followed by assignment of function to different segments, the methodology adopted by him is called as:
 - (A) Gene mapping

(B) Expressed sequence tags

(C) Bioinformatics

- (D) Sequence annotation
- **150.** What is the role of large bundle sheath cells found around the vascular bundles in C₄ plants?
 - (A) To increase the number of chloroplast for the operation of Calvin cycle
 - (B) To enable the plant to tolerate high temperature
 - (C) To protect the vascular tissue from high light intensity
 - (D) To provide the site for photorespiratory pathway
- **151.** Nitrogenous waste is excreted in the form of pellet or paste by :
 - (A) Salamandra

(B) Hippocampus

(C) Pavo

- (D) Ornithorhynchus
- **152.** Select the incorrect statement with reference to mitosis:
 - (A) Spindle fibres attach to centromere of chromosomes
 - (B) Chromosomes decondense at telophase
 - (C) Splitting of centromere occurs at anaphase
 - (D) All the chromosomes lie at the equator at metaphase
- **153.** Given below are two statements : one is labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A): Osteoporosis is characterised by decreased bone mass and increased chance of fractures.

Reason (R): Common cause of osteoporosis is increased levels of estrogen.

- (A) Both (A) and (R) are correct but (R) is not the correct explanation of (A)
- (B) (A) is correct but (R) is not correct
- (C) (A) is not correct but (R) is correct
- (D) Both (A) and (R) are correct and (R) is the correct explanation of (A)

154.	Under normal physiological conditions in human being every 100 ml of oxygenated blood can							
		$_{}$ ml of O_2 to the tissues						
	(A) 5 ml		(B) 4 ml					
	(C) 10 ml		(D) 2 ml					
155.	A dehydratio	A dehydration reaction links two glucose molecules to product maltose. If the formula for						
	glucose is C ₆ H ₁₂ O ₆ then what is the formula for maltose?							
	(A) $C_{12}H_{24}O_{12}$	2						
	(2) C ₁₂ H22O ₁	1						
	(C) $C_{12}H_{24}O_{12}$	1						
	(D) C12H20C	010						
156.	In which of t	he following animals, dige	stive tract has additional chambers like crop and gizzard?					
	(A) Bufo, Bal	aenoptera, Bangarus						
	(B) Catla, Co	lumba, Crocodilus						
	(C) Pavo, Psi	ttacula, Corvus						
	(D) Corvus, (Columba, Chameleon						
	, ,							
157.	Given below	are two statements:						
	Statement I : The release of sperms into the seminiferous tubules is called spermiation.							
	Statement II: Spermiogenesis is the process of formation of sperms from spermatogonia.							
	In the light of the above statements, choose the most appropriate answer from the options given							
	below:							
	(A) Both Stat	ement I and Statement II a	re incorrect					
	(B) Statement I is correct but Statement II is incorrect							
	(C) Statement I is incorrect but Statement II is correct							
	(D) Both Statement I and Statement II are correct							
158.	Natural selec	tion where more individua	als acquire specific character value other than the mean					
	character val							
	(A) Direction	O .	(B) Disruptive change					
	(C) Random	change	(D) Stabilising change					
159.	Which of the	following statements with	respect to Endoplasmic Reticulum is incorrect?					
	(A) SER is devoid of ribosomes							
	(B) In prokaryotes only RER are present							
	, ,	he sites for lipid synthesis						
	(D) RER has	ribosomes attached to ER						
160.	Which of the	following is present between	een the adjacent bones of the vertebral column?					
	(A) Cartilage		(B) Areolar tissue					
	(C) Smooth n	nuscle	(D) Intercalated discs					

29



- **161.** Which of the following functions is not performed by secretions from salivary glands?
 - (A) Digestion of complex carbohydrates
 - (B) Lubrication of oral cavity
 - (C) Digestion of disaccharides
 - (D) Control bacterial population in mouth
- **162.** In an E. Coli strain i gene gets mutated and its product can not bind the inducer molecule. If growth medium is provided with lactose, what will be the outcome?
 - (A) z, y, a genes will be transcribed
 - (B) z, y, a genes will not be translated
 - (C) RNA polymerase will bind the promoter region
- **163.** Identify the asexual reproductive structure associated with Penicillium :
 - (A) Conidia

(B) Gemmules

(C) Buds

- (D) Zoospores
- **164.** If the length of a DNA molecule is 1.1 metres, what will be the approximate number of base pairs?
 - (A) 6.6×10^9 bp
 - (B) 3.3×10^6 bp
 - (C) 6.6×10^6 bp
 - (D) 3.3×10^9 bp
- **165.** Which of the following is not a connective tissue?
 - (A) Adipose tissue

(B) Cartilage

(C) Neuroglia

- (D) Blood
- **166.** Given below are two statements:

Statement I: Restriction endonucleases recognise specific sequence to cut DNA known as palindromic nucleotide sequence.

Statement II: Restriction endonucleases cut the DNA strand a little away from the centre of the palindromic site.

- (A) Both Statement I and Statement II are incorrect
- (B) Statement I is correct but Statement II is incorrect
- (C) Statement I is incorrect but Statement II is correct
- (D) Both Statement I and Statement II are correct
- **167.** Detritivores breakdown detritus into smaller particles. This process is called:
 - (A) Fragmentation
 - (B) Humification
 - (C) Decomposition
 - (D) Catabolism



- **168.** Which of the following statements are true for spermatogenesis but do not hold true for Oogenesis?
 - (a) It results in the formation of haploid gametes
 - (b) Differentiation of gamete occurs after the completion of meiosis
 - (c) Meiosis occurs continuously in a mitotically dividing stem cell population
 - (d) It is controlled by the Luteinising hormone (LH) and Follicle Stimulating Hormone (FSH) secreted by the anterior pituitary
 - (e) It is initiated at puberty

Choose the most appropriate answer from the options given below:

(A) (b) and (c) only

(B) (b), (d) and (e) only

(C) (b), (c) and (e) only

- (D) (c) and (e) only
- **169.** Given below are two statements :

Statement I: Fatty acids and glycerols cannot be absorbed into the blood.

Statement II : Specialized lymphatic capillaries called lacteals carry chylomicrons into lymphatic vessels and ultimately into the blood.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (A) Both Statement I and Statement II are incorrect
- (B) Statement I is correct but Statement II is incorrect
- (C) Statement I is incorrect but Statement II is correct
- (D) Both Statement I and Statement II are correct
- **170.** If '8' Drosophila in a laboratory population of '80' died during a week, the death rate in the population is _____ individuals per Drosophila per week.
 - (A) 10
- (B) 1.0
- (C) zero

(D) 0.1

171. Given below are two statements:

Statement I: The coagulum is formed of network of threads called thrombins.

Statement II: Spleen is the graveyard of erythrocytes.

- (A) Both Statement I and Statement II are incorrect
- (B) Statement I is correct but Statement II is incorrect
- (C) Statement I is incorrect but Statement II is correct
- (D) Both Statement I and Statement II are correct
- **172.** Tegmina in cockroach, arises from
 - (A) Mesothorax

- (B) Metathorax
- (C) Prothorax and Mesothorax
- (D) Prothorax
- **173.** In the taxonomic categories which hierarchical arrangement in ascending order is correct in case of animals?
 - (A) Kingdom, Class, Phylum, Family, Order, Genus, Species
 - (B) Kingdom, Order, Class, Phylum, Family, Genus, Species
 - (C) Kingdom, Order, Phylum, Class, Family, Genus, Species
 - (D) Kingdom, Phylum, Class, Order, Family, Genus, Species



- **174**. Identify the microorganism which is responsible for the production of an immunosuppressive molecule cyclosporin A:
 - (A) Clostridium butylicum
- (B) Aspergillus niger
- (C) Streptococcus cerevisiae
- (D) Trichoderma polysporum
- **175.** Which of the following is not the function of conducting part of respiratory system?
 - (A) Inhaled air is humidified
 - (B) Temperature of inhaled air is brought to body temperature
 - (C) Provides surface for diffusion of O₂ and CO₂
 - (D) It clears inhaled air from foreign particles
- **176.** Lippe's loop is a type of contraceptive used as:
 - (A) Vault barrier

(B) Non-Medicated IUD

(C) Copper releasing IUD

- (D) Cervical barrier
- 177. Given below are two statements: one is labelled as Assertion (A) and the other is labelled as Reason (R).
 - Assertion (A): All vertebrates are chordates but all chordates are not vertebrates.
 - Reason (R): Notochord is replaced by vertebral column in the adult vertebrates.

In the light of the above statements, choose the most appropriate answer from the option given below:

- (A) Both (A) and (R) are correct but (R) is not the correct explanation of (A)
- (B) (A) is correct but (R) is not correct
- (C) (A) is not correct but (R) is correct
- (D) Both (A) and (R) are correct and (R) is the correct explanation of (A)
- **178.** Given below are two statements:

Statement I: Mycoplasma can pass through less than 1 micron filter size.

Statement II: Mycoplasma are bacteria with cell wall.

- (A) Both Statement I and Statement II are incorrect
- (B) Statement I is correct but Statement II is incorrect
- (C) Statement I is incorrect but Statement II is correct
- (D) Both Statement I and Statement II are correct
- 179. Regarding Meiosis, which of the statements is incorrect?
 - (A) DNA replication occurs in S phase of Meiosis-II
 - (B) Pairing of homologous chromosomes and recombination occurs in Meiosis-I
 - (C) Four haploid cells are formed at the end of Meiosis-II
 - (D) There are two stages in Meiosis, Meiosis-I and II



- **180.** In-situ conservation refers to:
 - (A) Conserve only high-risk species
 - (B) Conserve only endangered species
 - (C) Conserve only extinct species
 - (D) Protect and conserve the whole ecosystem
- **181.** At which stage of life the oogenesis process is initiated?
 - (A) Embryonic development stage
 - (B) Birth
 - (C) Adult
 - (D) Puberty
- **182.** Which of the following is a correct match for disease and its symptoms?
 - (A) Tetany High Ca²⁺ level causing rapid spasms.
 - (B) Myasthenia gravis Genetic disorder resulting in weakening and paralysis of skeletal muscle
 - (C) Muscular dystrophy An auto immune disorder causing progressive degeneration of skeletal muscle
 - (D) Arthritis Inflammed joints
- **183.** Given below are two statements:

Statement I: Autoimmune disorder is a condition where body defense mechanism recognizes its own cells as foreign bodies.

Statement II: Rheumatoid arthritis is a condition where body does not attack self cells.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (A) Both Statement I and Statement II are incorrect
- (B) Statement I is correct but Statement II is incorrect
- (C) Statement I is incorrect but Statement II is correct
- (D) Both Statement I and Statement II are correct
- **184.** In gene therapy of Adenosine Deaminase (ADA) deficiency, the patient requires periodic infusion of genetically engineered lymphocytes because :
 - (A) Gene isolated from marrow cells producing ADA is introduced into cells at embryonic stages
 - (B) Lymphocytes from patient's blood are grown in culture, outside the body.
 - (C) Genetically engineered lymphocytes are not immortal cells.
 - (D) Retroviral vector is introduced into these lymphocytes.
- **185.** Breeding crops with higher levels of vitamins and minerals or higher proteins and healthier fats is called:
 - (A) Bio-remediation

(B) Bio-fortification

(C) Bio-accumulation

(D) Bio-magnification

SECTION-B

- **186.** Which one of the following statements is correct?
 - (A) The tricuspid and the bicuspid valves open due to the pressure exerted by the simultaneous contraction of the atria
 - (B) Blood moves freely from atrium to the ventricle during joint diastole.
 - (C) Increased ventricular pressure causes closing of the semilunar valves.
 - (D) The atrio-ventricular node (AVN) generates an action potential to stimulate atrial contraction
- **187.** Select the incorrect statement regarding synapses :
 - (A) Electrical current can flow directly from one neuron into the other across the electrical synapse.
 - (B) Chemical synapses use neurotransmitters
 - (C) Impulse transmission across a chemical synapse is always faster than that across an electrical synapse.
 - (D) The membranes of presynaptic and postsynaptic neurons are in close proximity in an electrical synapse.
- **188.** Select the incorrect statement with respect to acquired immunity.
 - (A) Anamnestic response is elicited on subsequent encounters with the same pathogen.
 - (B) Anamnestic response is due to memory of first encounter.
 - (C) Acquired immunity is non-specific type of defense present at the time of birth.
 - (D) Primary response is produced when our body encounters a pathogen for the first time.

189. Match List-I with List-II

	List-I (Biological Molecules)		List-II (Biologica <mark>l functio</mark> ns)
(a)	Glycogen	(i)	Hormone
(b)	Globulin	(ii)	Biocatalyst
(c)	Steroids	(iii)	Antibody
(d)	Thrombin	(iv)	Storage product

Choose the correct answer from the options given below:

- (A) (a) (iv), (b) (ii), (c) (i), (d) (iii)
- (B) (a) (ii), (b) (iv), (c) (iii), (d) (i)
- (C) (a) (iv), (b) (iii), (c) (i), (d) (ii)
- (D) (a) (iii), (b) (ii), (c) (iv), (d) (i)

190. Match List-I with List-II with respect to methods of Contraception and their respective actions.

	List-l		List-II
(a)	Diaphragms	(i)	Inhibit ovulation and Implantation
(b)	Contraceptive Pills	(ii)	Increase phagocytosis of sperm within Uterus
(c)	Intra Uterine Devices	(iii)	Absence of Menstrual cycle and ovulation following parturition
(d)	Lactational Amenorrhea	(iv)	They cover the cervix blocking the entry of sperms

Choose the correct answer from the options given below:

- (A) (a) (iv), (b) (i), (c) (ii), (d) (iii)
- (B) (a) (ii), (b) (iv), (c) (i), (d) (iii)
- (C) (a) (iii), (b) (ii), (c) (i), (d) (iv)
- (D) (a) (iv), (b) (i), (c) (iii), (d) (ii)

- **191.** Ten E.coli cells with 15N dsDNA are incubated in medium containing 14N nucleotide. After 60 minutes, how many E.coli cells will have DNA totally free from 15N?
 - (A) 40 cells
- (B) 60 cells
- (C) 80 cells

- (D) 20 cells
- **192.** The recombination frequency between the genes a & c is 5%, b & c is 15%, b & d is 9%, a & b is 20%, c & d is 24% and a & d is 29%. What will be the sequence of these genes on a linear chromosome?
 - (A) d, b, a, c
- (B) a, b, c, d
- (C) a, c, b, d
- (D) a, d, b, c

193. Given below are two statements:

Statements I : In a scrubber the exhaust from the thermal plant is passed through the electric wires to charge the dust particles.

Statement II: Particulate matter (PM 2.5) cannot be removed by scrubber but can be removed by an electrostatic precipitator.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (A) Both Statement I and Statement II are incorrect
- (B) Statement I is correct but Statement II is incorrect
- (C) Statement I is incorrect but Statement II is correct
- (D) Both Statement I and Statement II are correct
- **194.** Statements related to human Insulin are given below.

Which statement(s) is/are correct about genetically engineered Insulin?

- (a) Pro-hormone insulin contain extra stretch of C-peptide
- (b) A-peptide and B-peptide chains of insulin were produced separately in E.coli, extracted and combined by creating disulphide bond between them.
- (c) Insulin used for treating Diabetes was extracted from Cattles and Pigs.
- (d) Pro-hormone Insulin needs to be processed for converting into a mature and functional hormone.
- (e) Some patients develop allergic reactions to the foreign insulin.

Choose the most appropriate answer from the options given below:

(A) (b) only

(B) (c) and (d) only

(C) (c), (d) and (e) only

- (D) (a), (b) and (d) only
- **195.** Which of the following statements is not true?
 - (A) Sweet potato and potato is an example of analogy
 - (B) Homology indicates common ancestry
 - (C) Flippers of penguins and dolphins are a pair of homologous organs
 - (D) Analogous structures are a result of convergent evolution
- **196.** Which of the following is not a desirable feature of a cloning vector?
 - (A) Presence of a marker gene
 - (B) Presence of single restriction enzyme site
 - (C) Presence of two or more recognition sites
 - (D) Presence of origin of replication

35

197. Match List-I with List-II

	List-l		List-II
(a)	Bronchioles	(i)	Dense Regular Connective Tissue
(b)	Goblet Cell	(ii)	Loose Connective Tissue
(c)	Tendons	(iii)	Glandular Tissue
(d)	Adipose Tissue	(iv)	Ciliated Epithelium

Choose the correct answer from the options given below:

- (1) (a) (i), (b) (ii), (c) (iii), (d) (iv)
- (2) (a) (ii), (b) (i), (c) (iv), (d) (iii)
- (3) (a) (iii), (b) (iv), (c) (ii), (d) (i)
- (4) (a) (iv), (b) (iii), (c) (i), (d) (ii)

198. Which of the following is a correct statement?

- (A) Bacteria are exclusively heterotrophic organisms.
- (B) Slime moulds are saprophytic organisms classified under Kingdom Monera.
- (C) Mycoplasma have DNA, ribosome and cell wall.
- (D) Cyanobacteria are a group of autotrophic organisms classified under kingdom Monera.

199. Which of the following are not the effects of Parathyroid hormone?

- (a) Stimulates the process of bone resorption
- (b) Decreases Ca2+ level in blood
- (c) Reabsorption of Ca²⁺ by renal tubules
- (d) Decreases the absorption of Ca²⁺ from digested food
- (e) Increases metabolism of carbohydrates

Choose the most appropriate answer from the options given below:

(A) (b), (d) and (e) only

(B) (a) and (e) only

(C) (b) and (c) only

(D) (a) and (c) only

200. If a colour blind female marries a man whose mother was also colour blind, what are the chances of her progeny having colour blindness?

(A) 50%

(B) 75%

(C) 100%

(D) 25%